

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(direct near mode) and (proxy near mode)	USPAT	OR	ON	2005/09/01 10:46
L2	1211	proxy WITH direct\$	USPAT	OR	ON	2005/09/01 10:47
L3	64	proxy WITH decrypt\$	USPAT	OR	ON	2005/09/01 10:47
L4	37	2 and 3	USPAT	OR	ON	2005/09/01 10:47
L5	2	4 and (negotiat\$ WITH secure)	USPAT	OR	ON	2005/09/01 10:48
L6	31	4 and secure	USPAT	OR	ON	2005/09/01 10:57
L7	22	4 and ssl	USPAT	OR	ON	2005/09/01 10:57
L8	22	6 and ssl	USPAT	OR	ON	2005/09/01 10:59
L9	1	"6442687".pn.	USPAT	OR	ON	2005/09/01 10:59
L10	1	9 and decrypt\$	USPAT	OR	ON	2005/09/01 11:00
L11	1	9 and encrypt\$	USPAT	OR	ON	2005/09/01 11:01
L12	1	9 and ssl	USPAT	OR	ON	2005/09/01 11:01
L13	0	9 and tcp	USPAT	OR	ON	2005/09/01 11:01
S1	32	713/150.cor.	USPAT	OR	OFF	2005/02/22 11:15
S2	10	713/152.cor.	USPAT	OR	OFF	2005/02/22 11:15
S3	131	713/168.cor.	USPAT	OR	OFF	2005/02/22 11:15
S4	648	713/200.cor.	USPAT	OR	OFF	2005/02/22 11:15
S5	631	713/201.cor.	USPAT	OR	OFF	2005/02/22 11:15
S6	6	freed near michael	USPAT	OR	OFF	2005/02/22 11:16
S7	0	S6 and ssl	USPAT	OR	OFF	2005/02/22 11:16
S8	1	S6 and encrypt\$	USPAT	OR	OFF	2005/02/22 11:16
S9	0	gannesen near elango	USPAT	OR	OFF	2005/02/22 11:17
S10	0	patnala near praveen	USPAT	OR	OFF	2005/02/22 17:13
S11	2	tcp same syn same ssl	USPAT	OR	ON	2005/02/22 17:14
S12	2	S11 and encrypt\$	USPAT	OR	ON	2005/02/22 17:14
S13	2	S11 and unencrypt\$	USPAT	OR	ON	2005/02/22 17:21
S14	2	S12 and ssl	USPAT	OR	ON	2005/02/22 17:21
S15	2	S12 and ssl with encrypt\$	USPAT	OR	ON	2005/02/22 17:23
S16	2	S12 and tcp	USPAT	OR	ON	2005/02/22 17:23
S17	2	S12 and tcp with server	USPAT	OR	ON	2005/02/23 10:30
S18	2	tcp same syn same ssl	USPAT	OR	ON	2005/02/23 10:30
S19	2	S18 and encrypt\$	USPAT	OR	ON	2005/02/23 10:30
S20	2	S19 and tcp with server	USPAT	OR	ON	2005/02/23 10:30
S21	1	S20 and database	USPAT	OR	ON	2005/02/23 10:30
S22	2	S20 and initial\$	USPAT	OR	ON	2005/02/23 10:31
S23	1	S20 and vector	USPAT	OR	ON	2005/02/23 10:31

S24	1	S20 and ack	USPAT	OR	ON	2005/02/23 11:24
S25	9741	alter\$ WITH destination WITH source WITH IP address WITH server	USPAT	OR	ON	2005/02/23 10:39
S26	721	alter\$ WITH destination WITH source WITH IP address WITH forward\$ WITH server	USPAT	OR	ON	2005/02/23 10:39
S27	26	S26 same advantag\$	USPAT	OR	ON	2005/02/23 11:02
S28	1	"6389462".pn.	USPAT	OR	ON	2005/02/23 11:02
S29	1	S28 and advantag\$	USPAT	OR	ON	2005/02/23 11:02
S30	1876	database WITH session	USPAT	OR	ON	2005/02/23 11:31
S31	0	S30 same (session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack	USPAT	OR	ON	2005/02/23 11:25
S32	0	(session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack	USPAT	OR	ON	2005/02/23 11:25
S33	0	(session near1 ID) and (TCP near2 sequence) and (initialization or vector) and ack	USPAT	OR	ON	2005/02/23 11:25
S34	0	database WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/23 11:33
S35	147	database WITH session WITH client WITH server	USPAT	OR	ON	2005/02/23 11:32
S36	12	S35 same advantag\$	USPAT	OR	ON	2005/02/23 11:32
S37	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/23 14:47
S38	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/24 12:55
S39	3	S38 and tcp	USPAT	OR	ON	2005/02/23 14:48
S40	2	S38 and ssl	USPAT	OR	ON	2005/02/23 14:48
S41	0	S38 and ack	USPAT	OR	ON	2005/02/23 14:48
S42	128	TCP near2 sequence near2 number	USPAT	OR	ON	2005/02/23 14:58
S43	0	S42 same (SSL near2 session near2 number)	USPAT	OR	ON	2005/02/23 14:59
S44	0	S42 and (SSL near2 session near2 number)	USPAT	OR	ON	2005/02/23 14:58
S45	0	S42 WITH advantag\$	USPAT	OR	ON	2005/02/23 14:59
S46	7	S42 WITH (log or database)	USPAT	OR	ON	2005/02/23 15:01
S47	8	S42 same (log or database)	USPAT	OR	ON	2005/02/23 15:00
S48	11	S42 WITH entry	USPAT	OR	ON	2005/02/23 15:01
S49	1	"6052728".pn.	USPAT	OR	ON	2005/02/23 15:23

S50	0	S49 and initial\$	USPAT	OR	ON	2005/02/23 15:10
S51	1	"6473425".pn.	USPAT	OR	ON	2005/02/23 16:18
S52	0	S51 and advantag\$	USPAT	OR	ON	2005/02/23 16:18
S53	6	encrypt\$ WITH application WITH multiple WITH packet	USPAT	OR	ON	2005/02/23 15:42
S54	1	"6681327".pn.	USPAT	OR	ON	2005/02/23 15:37
S55	1	S54 and (encrypt\$ WITH application)	USPAT	OR	ON	2005/02/23 17:37
S56	0	encrypt\$ WITH application WITH fragment\$ WITH packet	USPAT	OR	ON	2005/02/23 15:46
S57	7	encrypt\$ WITH application WITH (multiple or many) WITH packet	USPAT	OR	ON	2005/02/23 15:46
S58	704	application WITH (multiple or many) WITH packet	USPAT	OR	ON	2005/02/23 15:46
S59	66	application WITH fragment\$ WITH packet	USPAT	OR	ON	2005/02/23 15:48
S60	0	S59 same authenticat\$	USPAT	OR	ON	2005/02/23 15:48
S61	39	S59 and authenticat\$	USPAT	OR	ON	2005/02/23 15:50
S62	0	S59 and authenticat\$ with applicaiton	USPAT	OR	ON	2005/02/23 15:50
S63	34	S59 and authenticat\$ with application	USPAT	OR	ON	2005/02/23 15:50
S64	1	"6415329".pn.	USPAT	OR	ON	2005/02/23 16:18
S65	1	S64 and advantag\$	USPAT	OR	ON	2005/02/23 16:54
S66	0	unbuffer\$ WITH decrypt\$	USPAT	OR	ON	2005/02/23 16:54
S67	0	nonbuffer\$ WITH decrypt\$	USPAT	OR	ON	2005/02/23 16:54
S68	188	buffer\$ near3 decrypt\$	USPAT	OR	ON	2005/02/23 17:26
S69	1	"5,925,126".pn.	USPAT	OR	ON	2005/02/23 17:01
S70	1	"5,440,723".pn.	USPAT	OR	ON	2005/02/23 17:01
S71	21	buffer\$ WITH without WITH decrypt\$	USPAT	OR	ON	2005/02/23 17:26
S72	1	S54 and buffer\$	USPAT	OR	ON	2005/02/23 17:38
S73	1	S54 and buffer\$ with encrypt\$	USPAT	OR	ON	2005/02/23 17:41
S74	0	SSL near2 acceleration	USPAT	OR	ON	2005/02/23 17:42
S75	12	client near2 communication near2 engine	USPAT	OR	ON	2005/02/23 17:43
S76	0	S75 WITH secure WITH open	USPAT	OR	ON	2005/02/23 17:42
S77	0	proxy WITH secure WITH cleint WITH (open near network)	USPAT	OR	ON	2005/02/23 17:44
S78	1790	proxy near1 server	USPAT	OR	ON	2005/02/24 10:35
S79	4	client WITH forward\$ WITH decrypt\$ WITH application	USPAT	OR	ON	2005/02/24 09:08

S80	1	S78 and S79	USPAT	OR	ON	2005/02/24 09:12
S81	13	client WITH forward\$ WITH decrypt\$	USPAT	OR	ON	2005/02/24 09:12
S82	2	S78 and S81	USPAT	OR	ON	2005/02/24 09:10
S83	17467	davis.in.	USPAT	OR	ON	2005/02/24 09:10
S84	2	S83 and (middle near1 tier)	USPAT	OR	ON	2005/02/24 09:10
S85	1	S84 and decrypt\$	USPAT	OR	ON	2005/02/24 09:10
S86	1285	client near3 forward\$	USPAT	OR	ON	2005/02/24 09:12
S87	239	S78 and S86	USPAT	OR	ON	2005/02/24 09:12
S88	8	(client near3 forward\$) with decrypt\$	USPAT	OR	ON	2005/02/24 09:49
S89	1	S78 and S88	USPAT	OR	ON	2005/02/24 09:13
S90	290	client WITH decrypt\$ WITH server	USPAT	OR	ON	2005/02/24 09:13
S91	54	S78 and S90	USPAT	OR	ON	2005/02/24 09:49
S92	9	(client near3 forward\$) with (unencrypt\$ or decrypt\$)	USPAT	OR	ON	2005/02/24 09:49
S93	2	S78 and S92	USPAT	OR	ON	2005/02/24 09:51
S94	7	client near2 (forward\$ or send\$) near2 decrypt\$	USPAT	OR	ON	2005/02/24 09:50
S95	1	S78 and S94	USPAT	OR	ON	2005/02/24 09:58
S96	133	client near1 decrypt\$	USPAT	OR	ON	2005/02/24 09:57
S97	155	client near1 forward\$ near3 server	USPAT	OR	ON	2005/02/24 09:58
S98	1	S96 same S97	USPAT	OR	ON	2005/02/24 09:58
S99	0	S78 and S98	USPAT	OR	ON	2005/02/24 09:58
S100	553	client near1 forward\$	USPAT	OR	ON	2005/02/24 09:58
S101	120	S78 and S100	USPAT	OR	ON	2005/02/24 10:06
S102	9	S100 same decrypt\$	USPAT	OR	ON	2005/02/24 10:05
S103	1	S78 and S102	USPAT	OR	ON	2005/02/24 10:06
S104	48674	(proxy near1 server) or gateway or firewall or intermediary	USPAT	OR	ON	2005/02/24 10:35
S105	7	S92 and S104	USPAT	OR	ON	2005/02/24 10:41
S106	407	server WITH receiv\$ WITH (unencrypt\$ or decrypt\$)	USPAT	OR	ON	2005/02/24 10:41
S107	179	S106 and S104	USPAT	OR	ON	2005/02/24 10:41
S108	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/24 12:55

S109	4	S108 and S104	USPAT	OR	ON	2005/02/24 12:55
S110	694	(proxy or gateway or intermediary) WITH secure	USPAT	OR	ON	2005/03/09 11:19
S111	3	S110 same (encrypt\$ near2 application)	USPAT	OR	ON	2005/03/09 11:20
S112	48358	(proxy or gateway or intermediary)	USPAT	OR	ON	2005/03/09 11:19
S113	6	S112 same (encrypt\$ near2 application near2 data)	USPAT	OR	ON	2005/03/09 11:20
S114	34	proxy WITH negotiation	USPAT	OR	ON	2005/03/10 09:05
S115	0	S114 WITH (modify or modified or modifies)	USPAT	OR	ON	2005/03/10 09:01
S116	62	(database or log) WITH session WITH packet	USPAT	OR	ON	2005/03/10 09:10
S117	0	S114 and S116	USPAT	OR	ON	2005/03/10 09:02
S118	2	S116 same proxy	USPAT	OR	ON	2005/03/10 09:03
S119	8	S114 and encrypt\$	USPAT	OR	ON	2005/03/10 10:05
S120	0	S116 WITH advantag\$	USPAT	OR	ON	2005/03/10 09:10
S121	1	S116 same advantag\$	USPAT	OR	ON	2005/03/10 09:11
S122	1	"6584567".pn.	USPAT	OR	ON	2005/03/10 09:51
S123	1	S122 and servers	USPAT	OR	OFF	2005/03/10 09:26
S124	0	S122 and address	USPAT	OR	ON	2005/03/10 10:29
S125	1	S122 and decrypt\$	USPAT	OR	ON	2005/03/10 10:07
S126	1	"6253337".pn.	USPAT	OR	ON	2005/03/10 09:51
S127	1	S126 and log	USPAT	OR	ON	2005/03/10 09:51
S128	1	S122 and (decrypt\$ WITH client)	USPAT	OR	ON	2005/03/10 10:02
S129	1	S114 and (client near decrypt\$)	USPAT	OR	ON	2005/03/10 10:05
S130	1	S122 and encrypt\$	USPAT	OR	ON	2005/03/10 10:07
S131	1	S122 and tcp	USPAT	OR	ON	2005/03/10 14:34

S13 2	0	buffer\$ WITH length WITH complet\$ WITH cipher	USPAT	OR	ON	2005/03/10 10:40
S13 3	550	buffer\$ WITH length WITH complet\$	USPAT	OR	ON	2005/03/10 10:40
S13 4	0	buffer\$ WITH length WITH complet\$ WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:41
S13 5	27	buffer\$ WITH length WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:44
S13 6	1	buffer\$ WITH fixed WITH length WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:45
S13 7	1101	buffer\$ WITH fixed WITH length	USPAT	OR	ON	2005/03/10 10:45
S13 8	3	S137 same encrypt\$	USPAT	OR	ON	2005/03/10 10:45
S13 9	155	buffer\$ WITH fixed WITH length WITH block	USPAT	OR	ON	2005/03/10 10:47
S14 0	0	S139 WITH advantag\$	USPAT	OR	ON	2005/03/10 10:46
S14 1	8	S139 same advantag\$	USPAT	OR	ON	2005/03/10 10:46
S14 2	0	buffer\$ WITH fixed WITH length WITH block WITH cipher	USPAT	OR	ON	2005/03/10 10:47
S14 3	56	buffer\$ WITH complet\$ WITH length WITH block	USPAT	OR	ON	2005/03/10 11:11
S14 4	30	authentica\$ near decrypt\$ near data	USPAT	OR	ON	2005/03/10 11:13
S14 5	0	S144 same segment\$	USPAT	OR	ON	2005/03/10 11:12
S14 6	0	S144 same fragment\$	USPAT	OR	ON	2005/03/10 11:13
S14 7	553	(fragment\$ or segment\$) WITH encrypt\$	USPAT	OR	ON	2005/03/10 11:13
S14 8	1	S144 and S147	USPAT	OR	ON	2005/03/10 11:14
S14 9	253	S147 same decrypt\$	USPAT	OR	ON	2005/03/10 11:15
S15 0	18	S147 same (verif\$ WITH decrypt\$)	USPAT	OR	ON	2005/03/10 11:28
S15 1	2027	(SSL or (secure near1 sockets near1 layer))	USPAT	OR	ON	2005/03/10 11:29
S15 2	6	S151 WITH accelerat\$	USPAT	OR	ON	2005/03/10 11:29
S15 3	0	S152 and proxy	USPAT	OR	ON	2005/03/10 13:00

S15 4	3	server WITH secure with communication WITH (open near1 network)	USPAT	OR	ON	2005/03/10 13:18
S15 5	0	client WITH open WITH communications WITH (secure near1 network)	USPAT	OR	ON	2005/03/10 13:22
S15 6	51	SSL same vpn	USPAT	OR	ON	2005/03/10 13:21
S15 7	30	client WITH (secure near1 network) WITH server	USPAT	OR	ON	2005/03/10 14:05
S15 8	0	S157 same (open near1 session)	USPAT	OR	ON	2005/03/10 13:36
S15 9	3	S157 same open	USPAT	OR	ON	2005/03/10 13:55
S16 0	0	S159 and vpn	USPAT	OR	ON	2005/03/10 13:37
S16 1	17868	open near1 channel	USPAT	OR	ON	2005/03/10 13:55
S16 2	0	S161 WITH (secure near1 network)	USPAT	OR	ON	2005/03/10 13:55
S16 3	2	S161 same (secure near1 network)	USPAT	OR	ON	2005/03/10 13:55
S16 4	207	advantag\$ WITH (load near1 balancing)	USPAT	OR	ON	2005/03/10 14:05
S16 5	164	S164 and network	USPAT	OR	ON	2005/03/10 14:05
S16 6	13	S165 and SSL	USPAT	OR	ON	2005/03/10 14:06
S16 7	1	"6820215".pn.	USPAT	OR	ON	2005/03/10 14:07
S16 8	1	S167 and load	USPAT	OR	ON	2005/03/10 14:07
S16 9	29	proxy WITH (modifies or modifying or modified) WITH address	USPAT	OR	ON	2005/03/10 14:34
S17 0	0	S169 WITH advantag\$	USPAT	OR	ON	2005/03/10 14:34
S17 1	4	S169 same advantag\$	USPAT	OR	ON	2005/03/10 14:41
S17 2	1	"6,253,337".pn.	USPAT	OR	ON	2005/03/10 14:41
S17 3	0	S172 and tcp and ssl	USPAT	OR	ON	2005/03/10 14:42
S17 4	0	S172 and ssl	USPAT	OR	ON	2005/03/10 14:42